

**APPENDIX OF EXHIBITS IN SUPPORT OF PLAINTIFFS'
MOTION FOR PRELIMINARY INJUNCTION**

**JANE DOE #1 v. JOHNSON
Case No. 4:15-cv-00250-TUC-DCB
[FILED UNDER SEAL]**

**Part XIII
Exhibits 104 - 105**

Exhibit 104
(Submitted Under Seal)

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 6/7/15 Time: 0130

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No Water fountain 10-7 in cell#6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
H. Dominguez C36	Watkins C6	



Department of Homeland Security

Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 06/15/2015 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☒ Yes ☐ No AC not working extreme temp in AM hours.

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One fountain needs repairs Cell 6

Negative pressure system functioning? ☐ Yes ☒ No AC 10-7

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
McKeever, S C64	Watkins, T. C06	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 06/16/2015 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☒ Yes ☐ No AC not working extreme temp in AM hours.

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ NoDrinking fountains working or potable water available? ☐ Yes ☒ No One fountain needs repairs Cell 6Negative pressure system functioning? ☐ Yes ☒ No AC 10-7All cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
J. Clinton C258	Watkins, T. C06	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 06/17/2015 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☒ Yes ☐ No AC not working extreme temp in AM hours.

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One fountain needs repairs Cell 6

Negative pressure system functioning? ☐ Yes ☒ No AC 10-7

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
J. Clinton C258	Watkins, T. C06	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/07/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
VILLARREAL C20	MARQUEZ C8	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/08/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Damron C79	MARQUEZ C8	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/11/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
VILLARREAL C20	MARQUEZ C8	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/13/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Kirby C67	Damron 79	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/14/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☒ Yes ☐ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No
 Drinking fountains working or potable water available? ☒ Yes ☐ No
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Staples	Marty V	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/19/2015 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☐ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☐ Yes ☐ No

Walkways clear and any hazards removed? ☐ Yes ☐ No

Are all computers and equipment functioning? ☐ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☐ No

Windows (check for cracks) ☐ Yes ☐ No

Door and locks secure ☐ Yes ☐ No

Any other hazards? ☐ Yes ☐ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☐ No

Negative pressure system functioning? ☐ Yes ☐ No

All cells clean and free of pests? ☐ Yes ☐ No

All cells have toilet paper? ☐ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/20/2015 Time: 0730

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Kirby C67	Staples C49	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/21/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
VILLARREAL C20	BARTINE C4	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/22/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☒ Yes ☐ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No
 Drinking fountains working or potable water available? ☒ Yes ☐ No
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Staples C49	BARTINE C4	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 6/23/2015 Time: 0815

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
(A) VILLARREAL C20	(A) VILLARREAL C20	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/24/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
VILLARREAL C20	VILLARREAL C20	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/25/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
McNamara C39	Bartine C4	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 6/27/15 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Shick	Federico	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/28/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
VILLARREAL C20	BARTINE C4	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 6/29/15 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
SHICK c74	BARTINE C4	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 06/30/2015 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Kirby C67	BARTINE C4	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/7/15 Time: 1200 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
BUTCHER C23	O'Donnell C5	

PROTECTED MATERIAL

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/8/15 Time: 1200 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
GUMTOW	O'Donnell C5	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/9/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:Video monitors, and video loop operational and in use? ☐ Yes ☒ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ NoDrinking fountains working or potable water available? ☒ Yes ☐ NoNegative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
GUMTOW	O'Donnell C5	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/10/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
KRAMER C 85	O'Donnell C5	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/11/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Butcher C23	Muniz C82	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/12/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
KRAMER C 85	Muniz C82	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/13/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
KRAMER C 85	Muniz C82	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/14/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
MUNIZ C82	HERRO C62	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/15/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
BUTCHER C23	MUNIZ C82	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/17/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
KRAMER C 85	O'Donnell C 5	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 6/18/15 Time: 1245 hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
BUTCHER C23	O'Donnell C 5	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG)

PATROL GROUP: D

Date 6/9/15

Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not in Cell#6Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6Negative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair

Inspecting SBPA's Name and Star

EBERLE C042

Watch Commander Name and Star

RAMIREZ C021

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/10/15 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not in Cell#6

Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Williams C29	Williams C29	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/11/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
L. Hernandez C25	L. Hernandez C25	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/12/15 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Hubal C43	Ramirez C21	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/13/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Hernandez C25	Ramirez C21	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/14/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☐ Yes ☒ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No
 Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair. AC partially 10-7. Repairs scheduled for tomorrow.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Steinkuller C26	Ramirez C21	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/15/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:Video monitors, and video loop operational and in use? ☒ Yes ☐ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No**Do any of the following need repair?**Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ NoDrinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6Negative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair. AC partially 10-7. Repairs scheduled for tomorrow.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Ramirez C21	Ramirez C21	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)

USA000770

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/16/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No Not in Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Water in Cell #6 has been down for months. Still awaiting parts/repair.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Nanton C47	Hernandez C25	

PROTECTED MATERIAL

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/17/15 Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:Video monitors, and video loop operational and in use? ☒ Yes ☐ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not Cell 6Drinking fountains working or potable water available? ☐ Yes ☒ No Not Cell 6Negative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

No H2O in Cell 6 for the last many months. Parts allegedly on order.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
EBERLE C042	EBERLE C042	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/18/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not Cell 6

Drinking fountains working or potable water available? ☐ Yes ☒ No Not Cell 6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

No H2O in Cell 6

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Nanton, C47	Ramirez, C21	

Produced in Doe et al. v. Johnson et al., 4:15-cv-00250-DCB (D. Ariz.)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG)

PATROL GROUP: D

Date 6/19/15

Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not Cell 6Drinking fountains working or potable water available? ☐ Yes ☒ No Not Cell 6Negative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

No H2O in Cell 6

Inspecting SBPA's Name and Star

Hubal C43

Watch Commander Name and Star

Hubal C43

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/20/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☐ Yes ☒ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not Cell 6
 Drinking fountains working or potable water available? ☐ Yes ☒ No Not Cell 6
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

No H2O in Cell 6

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Hubal C43	Hubal C43	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/21/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not Cell 6

Drinking fountains working or potable water available? ☐ Yes ☒ No Not Cell 6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

No H2O in Cell 6

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Steinkuller C26	Steinkuller C26	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security

Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/22/15 Time: 2000

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No Not Cell 6

Drinking fountains working or potable water available? ☐ Yes ☒ No Not Cell 6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

No H2O in Cell 6

Faucet in restroom in Control Room not working.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Steinkuller C26	Steinkuller C26	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG)

PATROL GROUP: D

Date 6/25/15

Time:

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:Video monitors, and video loop operational and in use? ☒ Yes ☐ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No**Do any of the following need repair?**Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☐ Yes ☒ NoAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6Drinking fountains working or potable water available? ☒ Yes ☐ NoNegative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--

Inspecting SBPA's Name and Star

Watch Commander Name and Star

NANTON C047

RAMIREZ C021

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/26/15 Time: 1900

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Steinkuller C26	Montoya C7	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/27/15 Time: 1900

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Brewer C41	Eberle C42	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/28/15 Time: 1900

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Hubal C43	Ramirez C21	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/29/15 Time: 1900

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☐ Yes ☒ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6
 Drinking fountains working or potable water available? ☒ Yes ☐ No
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
G. Nanton C47	Montoya C7	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 6/30/15 Time: 1900

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Ramirez C21	Montoya C7	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 7/5/15 Time: 0140

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One Fountain needs repairs Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
J. Clinton C258	(A)WC McKeever C64	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 7/6/15 Time: 0140

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One Fountain needs repairs Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
J. Clinton C258	T. Watkins C6	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 7/17/15 Time: 0115

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One Fountain needs repairs Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
S. McKeever, C64	T Watkins C6	

PROTECTED MATERIAL

Exhibit 105
(Submitted Under Seal)

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 7/19/15 Time: 0115

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One Fountain needs repairs Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
J. Clinton C258	S. McKeever, C64	

PROTECTED MATERIAL

Produced in Doe et al v. Johnson et al, 4:15-cv-000250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 07/05/2014 Time: 0800

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No Cell 9 lock broken (C82 sent email to maint)

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

--	--

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
VILLARREAL C20	VILLARREAL C20	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 07/07/2015 Time: 0828

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Staples, C49	Marty V	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: B Date 07/11/2015 Time: 0730

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Federico C80	Bartine C4	

Produced in Doe et al v. Johnson et al, 4:15-cv-00250-DCB (D. Ariz)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 7/5/15 Time: 1130hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:Video monitors, and video loop operational and in use? ☐ Yes ☒ NoHold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ NoMaster Cell Key, ECT key, and food connex key available? ☒ Yes ☐ NoWalkways clear and any hazards removed? ☒ Yes ☐ NoAre all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ NoWindows (check for cracks) ☐ Yes ☒ NoDoor and locks secure ☒ Yes ☐ No CELL 9 LOCKAny other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ NoDrinking fountains working or potable water available? ☒ Yes ☐ NoNegative pressure system functioning? ☒ Yes ☐ NoAll cells clean and free of pests? ☒ Yes ☐ NoAll cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
BUTCHER C23	MUNIZ C82	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: C Date 7/7/15 Time: 1130hrs

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☐ Yes ☒ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☒ Yes ☐ No CELL 9 LOCK

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
KRAMER C 85	O'Donnell C5	

Produced in Doe et al v. Johnson et al, 4:15-cv-000250-DCB (D. Ariz)
PROTECTED MATERIAL

Department of Homeland Security

Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 7/1/15 Time: 1915

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Hernandez C25	Montoya C7	

Produced in Doe et al v. Johnson et al, 4:15-cv-000250-DCB (D. Ariz)

USA000862

PROTECTED MATERIAL

Produced in Doe et al. v. Johnson et al., 4:15-cv-00250-DCB (D. Ariz.)
PROTECTED MATERIALDepartment of Homeland Security
Customs and Border ProtectionTucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 7/2/15 Time: 1930

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Nanton C47	Ramirez C21	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 7/3/15 Time: 1930

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Brewer C41	Steinkuller C26	

PROTECTED MATERIAL

PROTECTED MATERIAL



Department of Homeland Security

Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 7/4/15 Time: 1930

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6

Drinking fountains working or potable water available? ☒ Yes ☐ No

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Lock on cell 9 inop. Maintenance notified.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Eberle C42	Hubal C43	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 7/5/15 Time: 1930

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☐ Yes ☒ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☐ Yes ☒ No No H2O Cell #6
 Drinking fountains working or potable water available? ☒ Yes ☐ No
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Lock on cell 9 inop. Maintenance notified.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Hubal C43	Steinkuller C26	

PROTECTED MATERIAL



Department of Homeland Security
Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: D Date 7/7/15 Time: 1930

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No
 Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No
 Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No
 Walkways clear and any hazards removed? ☒ Yes ☐ No
 Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No
 Windows (check for cracks) ☐ Yes ☒ No
 Door and locks secure ☐ Yes ☒ No
 Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No
 Drinking fountains working or potable water available? ☒ Yes ☐ No
 Negative pressure system functioning? ☒ Yes ☐ No
 All cells clean and free of pests? ☒ Yes ☐ No
 All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Lock on cell 9 inop. Maintenance notified.

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Brewer C41	Brewer C41	

PROTECTED MATERIAL



Department of Homeland Security Customs and Border Protection

Tucson Sector
Processing Inspection Form

LOCATION: Casa Grande Border Patrol Station (CAG) PATROL GROUP: A Date 8/16/15 Time: 0200

SECTION 1: PROCESSING AREA CHECKLIST (check the appropriate box)

Description of what and where needs repairs:

Video monitors, and video loop operational and in use? ☒ Yes ☐ No

Hold Room Policy, Flores Reno Settlement, and TVPRA Policy Posted? ☒ Yes ☐ No

Master Cell Key, ECT key, and food connex key available? ☒ Yes ☐ No

Walkways clear and any hazards removed? ☒ Yes ☐ No

Are all computers and equipment functioning? ☒ Yes ☐ No

Do any of the following need repair?

Lighting ☐ Yes ☒ No

Windows (check for cracks) ☐ Yes ☒ No

Door and locks secure ☐ Yes ☒ No

Any other hazards? ☐ Yes ☒ No

SECTION 2: HOLDING CELLS CHECKLIST (check the appropriate box)

All toilets functioning? ☒ Yes ☐ No

Drinking fountains working or potable water available? ☐ Yes ☒ No One Fountain needs repairs Cell #6

Negative pressure system functioning? ☒ Yes ☐ No

All cells clean and free of pests? ☒ Yes ☐ No

All cells have toilet paper? ☒ Yes ☐ No

SECTION 3: REMARKS

Inspecting SBPA's Name and Star	Watch Commander Name and Star	
Donegan, T. C421	Fernan C59	